

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|----------------|----------|--------|------------|--------|------|--------|
| FSDH02 | 40 | 48 | 8 | 0.51 | 0.01 | 4.3 |
| plus | 216 | 439 | 223 | 0.50 | 0.46 | 73.7 |
| incl | 216 | 324 | 108 | 0.49 | 0.62 | 150.1 |
| incl | 230 | 266 | 36 | 0.38 | 0.53 | 393.7 |
| FSDH03D | 100 | 198 | 98 | 0.27 | 1.45 | 16.3 |
| incl | 100 | 124 | 24 | 0.29 | 3.41 | 9.3 |
| incl | 130 | 144 | 14 | 0.30 | 1.17 | 86.4 |
| FSDH04 | 100 | 120 | 20 | 0.42 | 1.14 | 1.8 |
| FSDH05 | 12 | 501 | 489 | 0.25 | 0.34 | 1.9 |
| FSDH06 | 0 | 385 | 385 | 0.39 | 0.41 | 0.1 |
| incl | 4 | 228 | 224 | 0.52 | 0.50 | 0.2 |
| FSDH07 | 4 | 47 | 43 | 0.18 | 0.90 | 17.6 |
| incl | 6 | 24 | 18 | 0.23 | 1.78 | 19.8 |
| FSDH11 | 116 | 150 | 34 | 1.35 | 0.02 | 0.9 |
| FSDH12 | 60 | 118 | 58 | 0.43 | 0.02 | 1.6 |
| incl | 98 | 114 | 16 | 0.74 | 0.02 | 1.7 |
| FSDH13 | 204 | 230 | 26 | 0.24 | 3.87 | 2.3 |
| incl | 204 | 214 | 10 | 0.24 | 7.59 | 3.6 |
| VRC056 | 68 | 198 | 130 | 0.38 | 0.01 | 2.2 |
| incl | 68 | 78 | 10 | 0.71 | 0.01 | 2.2 |
| incl | 120 | 198 | 78 | 0.44 | 0.01 | 2.9 |
| VRC057 | 70 | 80 | 10 | 0.14 | 2.80 | 0.9 |
| VRC058 | 32 | 276 | 244 | 0.21 | 0.41 | 7.8 |
| incl | 32 | 102 | 70 | 0.17 | 0.75 | 19.6 |
| and incl | 84 | 96 | 12 | 0.24 | 1.42 | 28.1 |
| VRC059 | 0 | 350 | 350 | 0.39 | 0.33 | 7.6 |
| incl | 0 | 70 | 70 | 0.65 | 0.52 | 46.4 |
| and incl | 56 | 66 | 10 | 0.62 | 0.40 | 273.4 |
| VRC060 | 6 | 500 | 494 | 0.34 | 0.31 | 14.0 |
| incl | 94 | 120 | 26 | 0.24 | 0.27 | 148.3 |
| VRC061 | 58 | 350 | 292 | 0.35 | 0.35 | 4.9 |
| incl | 114 | 182 | 68 | 0.38 | 0.64 | 9.6 |
| and incl | 114 | 144 | 30 | 0.38 | 0.85 | 18.3 |
| VRC062 | 136 | 190 | 54 | 0.33 | 0.31 | 2.9 |
| | 142 | 146 | 4 | 2.35 | 0.30 | 2.7 |
| plus | 270 | 304 | 34 | 0.55 | 0.61 | 104.0 |
| incl | 270 | 286 | 16 | 0.36 | 0.49 | 189.3 |
| VRC063 | 152 | 370 | 218 | 0.56 | 0.41 | 46.5 |
| incl | 216 | 234 | 18 | 0.76 | 0.97 | 29.4 |
| incl | 226 | 274 | 48 | 0.42 | 0.40 | 196.0 |
| incl | 262 | 274 | 12 | 0.36 | 0.34 | 663.3 |
| incl | 316 | 330 | 14 | 2.68 | 0.34 | 6.4 |
| VRC064 | 146 | 492 | 346 | 0.39 | 0.36 | 14.5 |
| incl | 146 | 154 | 8 | 2.80 | 0.17 | 1.3 |
| and incl | 258 | 294 | 36 | 1.01 | 0.77 | 126.9 |

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|----------------------|----------------------------------------------------|--------|------------|--------|------|--------|
| incl | 266 | 278 | 12 | 0.90 | 0.92 | 314.5 |
| VRC065 | 0 | 246 | 246 | 0.45 | 0.34 | 21.4 |
| incl | 6 | 68 | 62 | 0.59 | 0.42 | 37.7 |
| incl | 84 | 116 | 32 | 0.24 | 0.39 | 62.6 |
| incl | 210 | 224 | 14 | 1.38 | 0.33 | 3.9 |
| VRC066 | 70 | 150 | 80 | 0.50 | 0.02 | 1.3 |
| incl | 238 | 457 | 219 | 0.26 | 0.36 | 18.4 |
| incl | 238 | 258 | 20 | 0.12 | 2.11 | 1.4 |
| incl | 358 | 374 | 16 | 0.29 | 0.34 | 222.1 |
| VRC067 | 120 | 174 | 54 | 0.60 | 0.03 | 1.4 |
| incl | 142 | 160 | 18 | 1.16 | 0.02 | 2.1 |
| incl | 186 | 191 | 5 | 0.18 | 1.99 | 0.5 |
| | VRC67 lost at 191 metres in strong mineralization. | | | | | |
| VRC068 | Abandoned at 84 metres - re-drilled as VRC69 | | | | | |
| VRC069 | 0 | 32 | 32 | 1.08 | 0.01 | 2.0 |
| plus | 92 | 332 | 240 | 0.35 | 0.53 | 7.6 |
| incl | 92 | 112 | 20 | 0.22 | 2.44 | 1.4 |
| incl | 174 | 194 | 20 | 0.81 | 0.53 | 0.5 |
| incl | 312 | 332 | 20 | 0.59 | 0.31 | 37.5 |
| VRC070 | 120 | 164 | 44 | 2.48 | 2.84 | 4.8 |
| incl ³ | 120 | 134 | 14 | 6.44 | 0.06 | 4.0 |
| or incl ³ | 120 | 126 | 6 | 12.41 | 0.05 | 3.3 |
| also | 146 | 276 | 130 | 0.33 | 1.26 | 3.1 |
| incl | 146 | 168 | 22 | 0.71 | 5.80 | 5.8 |
| VRC071 | 318 | 406 | 88 | 0.41 | 0.49 | 1.0 |
| incl | 360 | 380 | 20 | 0.63 | 1.07 | 1.1 |
| VRC072 | 90 | 342 | 252 | 0.30 | 0.30 | 49.9 |
| or incl | 166 | 188 | 22 | 0.69 | 0.80 | 507.2 |
| or incl | 176 | 188 | 12 | 0.64 | 0.51 | 907.3 |
| incl | 108 | 190 | 82 | 0.40 | 0.43 | 141.4 |
| VRC073 | 148 | 331 | 183 | 0.24 | 0.69 | 2.7 |
| incl | 148 | 194 | 46 | 0.21 | 1.73 | 4.3 |
| VRC074 | 4 | 264 | 260 | 0.42 | 0.41 | 19.9 |
| incl | 4 | 22 | 18 | 0.05 | 0.75 | 1.1 |
| and incl | 26 | 48 | 22 | 0.78 | 0.13 | 0.9 |
| and incl | 162 | 264 | 102 | 0.83 | 0.58 | 49.3 |
| incl | 162 | 206 | 44 | 1.09 | 0.80 | 4.2 |
| incl | 194 | 210 | 16 | 1.04 | 1.36 | 8.9 |
| incl | 236 | 254 | 18 | 0.67 | 0.28 | 236.6 |
| VRC075 | 138 | 350 | 212 | 0.24 | 0.29 | 2.4 |
| incl | 138 | 188 | 50 | 0.22 | 0.44 | 3.6 |
| and incl | 314 | 346 | 32 | 0.41 | 0.27 | 2.1 |
| VRC076 | 50 | 368 | 318 | 0.40 | 0.43 | 7.8 |
| incl | 104 | 118 | 14 | 2.41 | 1.29 | 0.6 |
| and incl | 216 | 248 | 32 | 0.87 | 1.25 | 41.7 |

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|----------------|-----------------------|-----------------------|------------------|--------|------|--------|
| incl | 240 | 248 | 8 | 1.78 | 2.37 | 94.3 |
| VRC077 | 10 | 20 | 10 | 0.89 | 0.01 | 3.2 |
| plus | 88 | 500 | 412 | 0.30 | 0.46 | 8.3 |
| incl | 88 | 120 | 32 | 0.21 | 2.70 | 2.8 |
| and incl | 330 | 344 | 14 | 0.69 | 0.20 | 110.4 |
| VRC078 | 344 | 401 | 57 | 0.07 | 0.24 | 7.4 |
| incl | 378 | 401 | 23 | 0.09 | 0.30 | 15.9 |
| VRC079 | 2 | 8 | 6.0 ³ | 1.38 | 0.00 | 0.5 |
| plus | 56 | 60 | 4.0 ³ | 1.50 | 0.05 | 0.5 |
| plus | 110 | 246 | 136 | 0.42 | 0.36 | 29.8 |
| incl | 166 | 186 | 20 | 1.45 | 0.85 | 13.7 |
| incl | 174 | 180 | 6 | 4.16 | 0.90 | 12.3 |
| and incl | 206 | 214 | 8 | 0.22 | 0.19 | 394.8 |
| RCVI018 | 4 | 48 | 44 | 0.44 | 0.02 | 3.0 |
| plus | 116 | 198 | 82 | 0.41 | 0.05 | 8.0 |
| VRC080 | 190 | 262 | 72 | 0.51 | 0.34 | 70.0 |
| incl | 212 | 250 | 38 | 0.46 | 0.29 | 106.0 |
| VRC081 | 272 | 292 | 20 | 0.54 | 0.50 | 260.0 |
| incl | 280 | 288 | 8 | 0.78 | 0.62 | 565.0 |
| VRC082 | 100 | 188 | 88 | 0.59 | 0.03 | 0.7 |
| incl | 100 | 148 | 48 | 0.72 | 0.04 | 0.7 |
| incl | 118 | 128 | 10 | 1.48 | 0.01 | 1.0 |
| incl | 144 | 148 | 4 | 1.61 | 0.03 | 1.0 |
| incl | 166 | 170 | 4 | 1.29 | 0.02 | 2.0 |
| VRC083 | | No Significant Values | | | | |
| VRC084 | | No Significant Values | | | | |
| VRC085 | 102 | 224 | 122 | 0.47 | 0.03 | 7.0 |
| | 104 | 166 | 62 | 0.69 | 0.03 | 0.9 |
| incl | 104 | 110 | 6 | 1.17 | 0.04 | 1.0 |
| incl | 130 | 146 | 16 | 1.25 | 0.03 | 2.0 |
| plus | 224 | 234 | 10 | 0.17 | 3.41 | 2.0 |
| VRC086 | 248 | 256 | 8 | 0.93 | 0.42 | 7.0 |
| plus | 256 | 328 | 72 | 0.34 | 0.43 | 338.8 |
| RCVI019 | 6 | 60 | 54 | 0.40 | 0.01 | 18.0 |
| RCVI020 | 106 | 122 | 16 | 0.50 | 0.01 | 5.4 |
| plus | 256 | 400 | 144 | 0.19 | 0.45 | 2.0 |
| incl | 306 | 314 | 8 | 0.11 | 1.52 | 0.9 |
| and incl | 334 | 344 | 10 | 0.29 | 1.41 | 6.7 |
| and incl | 392 | 398 | 6 | 1.30 | 0.26 | 11.7 |
| RCVI021 | 12 | 330 | 318 | 0.28 | 0.28 | 1.6 |
| incl | 248 | 330 | 82 | 0.38 | 0.41 | 2.4 |
| incl | 266 | 276 | 10 | 0.70 | 1.27 | 7.2 |
| RCVI022 | 150 | 212 | 62 | 0.24 | 0.45 | 4.2 |
| incl | 210 | 212 | 2 | 3.84 | 0.28 | 20.0 |
| VRC087 | No Significant Values | | | | | |

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|----------|-----------------------|--------|------------|--------|------|--------|
| VRC088 | 100 | 365 | 265 | 0.33 | 0.31 | 8.1 |
| incl | 284 | 294 | 10 | 0.65 | 0.82 | 12.8 |
| VRC089 | 150 | 164 | 14 | 1.32 | 0.29 | 1.7 |
| plus | 250 | 266 | 16 | 1.35 | 0.23 | 2.7 |
| plus | 308 | 422 | 114 | 0.56 | 0.41 | 83.2 |
| incl | 308 | 312 | 4 | 0.23 | 0.06 | 397.0 |
| and incl | 330 | 336 | 6 | 0.28 | 0.18 | 79.0 |
| and incl | 380 | 422 | 42 | 1.13 | 0.78 | 145.6 |
| VRC090 | 104 | 283 | 179 | 0.19 | 0.24 | 2.2 |
| VRC091 | 124 | 128 | 4 | 1.25 | 0.06 | 0.5 |
| VRC092 | 162 | 344 | 182 | 0.11 | 0.29 | 2.8 |
| incl | 268 | 308 | 40 | 0.19 | 0.51 | 2.3 |
| VRC093 | 284 | 450 | 166 | 0.24 | 0.15 | 11.9 |
| incl | 356 | 382 | 26 | 0.48 | 0.09 | 39.5 |
| incl | 378 | 382 | 4 | 0.85 | 0.37 | 96.5 |
| and incl | 406 | 420 | 14 | 0.38 | 0.65 | 13.9 |
| VRC094 | No Significant Values | | | | | |
| VRC095 | 162 | 172 | 10 | 0.59 | 0.26 | 1.4 |
| VRC096 | 152 | 156 | 4 | 0.04 | 1.42 | 0.5 |
| VRC097 | 122 | 206 | 84 | 1.36 | 0.02 | 1.4 |
| incl | 140 | 166 | 26 | 3.25 | 0.03 | 0.8 |
| incl | 152 | 156 | 4 | 8.87 | 0.03 | 0.8 |
| plus | 206 | 226 | 20 | 0.11 | 1.13 | 2.6 |
| plus | 336 | 342 | 6 | 0.25 | 0.36 | 297.7 |
| VRC098A | 118 | 182 | 64 | 0.56 | 0.03 | 0.9 |
| incl | 118 | 138 | 20 | 1.05 | 0.03 | 0.4 |
| VRC099 | 114 | 192 | 78 | 1.02 | 0.03 | 2.0 |
| incl | 178 | 192 | 14 | 2.28 | 0.05 | 6.0 |
| plus | 206 | 226 | 20 | 0.15 | 1.91 | 1.4 |
| plus | 304 | 314 | 10 | 0.18 | 0.31 | 12.8 |
| VRC101 | 106 | 218 | 112 | 0.73 | 0.02 | 2.0 |
| incl | 106 | 138 | 32 | 1.01 | 0.01 | 0.7 |
| and incl | 204 | 218 | 14 | 0.94 | 0.02 | 3.0 |
| VRC102 | 0 | 162 | 162 | 0.37 | 0.22 | 1.4 |
| VRC103 | 128 | 168 | 40 | 0.31 | 1.00 | 1.3 |
| VRC104 | 374 | 380 | 6 | 0.38 | 0.54 | 4.0 |
| VRC105 | 6 | 160 | 154 | 0.31 | 0.22 | 1.0 |
| incl | 6 | 34 | 28 | 0.26 | 0.41 | 0.9 |
| VRC106 | 0 | 160 | 160 | 0.24 | 0.19 | 1.2 |
| VRC107 | 0 | 146 | 146 | 0.25 | 0.20 | 1.7 |
| VRC108 | 0 | 60 | 60 | 0.28 | 0.30 | 0.8 |
| incl | 34 | 50 | 16 | 0.28 | 0.49 | 0.8 |
| plus | 86 | 106 | 20 | 0.10 | 0.46 | 0.9 |
| VRC109 | 0 | 149 | 149 | 0.44 | 0.15 | 2.5 |
| incl | 2 | 96 | 94 | 0.56 | 0.15 | 3.3 |

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|---------------|-----------------------|--------|------------|--------|------|--------|
| incl | 62 | 70 | 8 | 1.73 | 0.09 | 4.5 |
| and incl | 92 | 96 | 4 | 1.76 | 0.26 | 7.5 |
| VRC110 | 0 | 50 | 50 | 0.41 | 0.81 | 1.3 |
| VRC111 | 6 | 194 | 188 | 0.30 | 0.52 | 1.2 |
| incl | 18 | 120 | 102 | 0.35 | 0.77 | 1.5 |
| incl | 18 | 72 | 54 | 0.35 | 1.01 | 1.6 |
| incl | 102 | 120 | 18 | 0.30 | 0.80 | 1.4 |
| VRC112 | 52 | 60 | 8 | 0.51 | 0.13 | 1.4 |
| plus | 68 | 106 | 38 | 0.24 | 0.77 | 0.4 |
| incl | 68 | 72 | 4 | 0.23 | 2.44 | 0.5 |
| and incl | 78 | 84 | 6 | 0.31 | 0.93 | 0.3 |
| and incl | 94 | 104 | 10 | 0.18 | 1.01 | 0.4 |
| VRC113 | 0 | 52 | 52 | 0.30 | 0.63 | 1.0 |
| incl | 20 | 38 | 18 | 0.28 | 1.02 | 1.0 |
| VRC114 | No Significant Values | | | | | |
| VRC115 | 70 | 98 | 28 | 0.20 | 0.36 | 0.9 |
| plus | 104 | 110 | 6 | 1.61 | 0.05 | 1.8 |
| plus | 120 | 130 | 10 | 0.46 | 0.63 | 1.2 |
| VRC116 | 4 | 148 | 144 | 0.40 | 0.40 | 5.1 |
| incl | 84 | 112 | 28 | 0.52 | 0.65 | 1.7 |
| VRC117 | No Significant Values | | | | | |
| VRC118 | No Significant Values | | | | | |
| VRC119 | 0 | 200 | 200 | 0.41 | 0.29 | 1.3 |
| incl | 0 | 34 | 34 | 0.51 | 0.05 | 1.5 |
| and incl | 34 | 100 | 66 | 0.35 | 0.63 | 1.1 |
| and incl | 100 | 200 | 100 | 0.41 | 0.15 | 1.3 |
| VRC120 | 10 | 40 | 30 | 0.29 | 0.17 | 0.6 |
| plus | 98 | 114 | 16 | 0.13 | 0.47 | 0.4 |
| VRC121 | 74 | 78 | 4 | 0.50 | 0.00 | 0.3 |
| plus | 96 | 108 | 12 | 0.91 | 0.00 | 0.8 |
| plus | 144 | 154 | 10 | 0.61 | 0.02 | 0.8 |
| VRC122 | 24 | 56 | 32 | 0.48 | 0.02 | 0.7 |
| plus | 208 | 234 | 26 | 0.70 | 0.03 | 3.4 |
| VRC123 | 242 | 275 | 33 | 0.21 | 0.50 | 0.8 |
| VRC124 | No Significant Values | | | | | |
| VRC125 | 158 | 176 | 18 | 0.65 | 0.14 | 1.5 |
| plus | 176 | 247 | 71 | 0.26 | 2.06 | 2.4 |
| incl | 182 | 212 | 30 | 0.24 | 3.03 | 2.9 |
| VRC126 | 112 | 132 | 20 | 0.82 | 0.03 | 0.6 |
| incl | 122 | 126 | 4 | 2.51 | 0.04 | 0.5 |
| plus | 310 | 330 | 20 | 0.37 | 0.42 | 105.7 |
| incl | 318 | 324 | 6 | 0.33 | 0.37 | 208.0 |
| VRC127 | 90 | 144 | 54 | 0.36 | 0.35 | 0.8 |
| incl | 90 | 104 | 14 | 0.18 | 0.50 | 0.6 |
| VRC128 | 0 | 150 | 150 | 0.47 | 0.27 | 1.9 |

| HOLE-ID | From (m) | To (m) | Length (m) | Au g/t | Cu % | Ag g/t |
|---------------|----------|----------------------------|------------|--------|------|--------|
| incl | 28 | 102 | 74 | 0.51 | 0.22 | 1.1 |
| and incl | 108 | 124 | 16 | 0.32 | 0.87 | 3.0 |
| VRC129 | 4 | 40 | 36 | 0.41 | 0.19 | 1.5 |
| plus | 62 | 66 | 4 | 0.35 | 1.17 | 1.0 |
| VRC130 | 38 | 74 | 36 | 0.14 | 0.41 | 0.9 |
| VRC131 | 210 | 218 | 8 | 0.58 | 0.22 | 77.3 |
| VRC132 | 168 | 232 | 64 | 0.80 | 0.05 | 8.4 |
| incl | 180 | 222 | 42 | 1.04 | 0.05 | 7.3 |
| plus | 232 | 260 | 28 | 0.12 | 0.91 | 8.5 |
| plus | 352 | 386 | 34 | 0.22 | 0.29 | 285.1 |
| incl | 352 | 368 | 16 | 0.21 | 0.44 | 565.1 |
| VRC133 | 0 | 116 | 116 | 0.40 | 0.03 | 3.7 |
| incl | 0 | 56 | 56 | 0.53 | 0.03 | 6.2 |
| and incl | 0 | 16 | 16 | 0.88 | 0.03 | 6.1 |
| VRC134 | 6 | 150 | 144 | 0.51 | 0.02 | 4.5 |
| incl | 10 | 38 | 28 | 0.80 | 0.01 | 14.7 |
| and incl | 64 | 110 | 46 | 0.62 | 0.02 | 2.2 |
| | | Gold Intersection | | | | |
| | | Copper Intersection | | | | |
| | | Copper - Gold Intersection | | | | |
| | | Silver Intersection | | | | |

Drilled lengths are interpreted to be representative of the true width of the mineralized zone, based on geological interpretation using data from previous reverse circulation and diamond drill holes, unless otherwise indicated.

3 – True width unknown.

Mr. Bob Carmichael, B.A.Sc, P.Eng., is the Qualified Person as defined by National Instrument 43-101. Mr. Carmichael is Vice President, Exploration for the Company and has reviewed and approved this technical information.